

Suckley				
SHELAA Site Reference and Address:		CFS0112 Field to the North-East of Lower Tundridge Farm	CFS0113 Land to the South of Lower Tundridge Farm	CFS0114 Field to the West of Lower Tundridge Farm
MAJOR CRITERIA	Is the site within or adjacent to a Town, Category 1, 2 or 3 Village?	Category 1 (Open Countryside)	Category 1 (Open Countryside)	Category 1 (Open Countryside)
	Have the landowner(s) clearly indicated that the site is available and can be developed within the plan period, (e.g through SHELAA)?	N/A	N/A	N/A
	Is the site within Flood Zone 1 or 2? If yes, state Flood Zone.	N/A	N/A	N/A
	Is the site more than 450 metres of hazardous pipeline or gas compression station?	N/A	N/A	N/A
	Can the site be provided with safe access onto the public highway?	N/A	N/A	N/A
	Are the Sewerage and Water supplies adequate in the area?	N/A	N/A	N/A
	Would development of the site compromise Internationally or Nationally designated site of ecological importance?	N/A	N/A	N/A
	Is the site in Green Belt?	N/A	N/A	N/A
	Is the site in the AONB, or affect the setting of?	N/A	N/A	N/A
	Is the site affected by an adopted Neighbourhood Plan policy or allocation? If yes, what?	N/A	N/A	N/A
	Are the adjacent/surrounding land uses compatible with residential amenity? Please state what they are.	N/A	N/A	N/A
OTHER CRITERIA	Would development of the site have an adverse impact on Green Infrastructure Network?	N/A	N/A	N/A
	Would development of the site result in a significant net loss of protected open space?	N/A	N/A	N/A
	Would development of the site have a detrimental impact on a conservation area or on archaeology?	N/A	N/A	N/A
	Would development of the site have a detrimental impact on Listed Building (s).	N/A	N/A	N/A
	Would development of the site have a detrimental impact on a Scheduled Ancient Monument?	N/A	N/A	N/A
	Would development of the site have a detrimental impact on a Special Wildlife Site / Local Nature Reserve/ Regionally Important Geological Site or any other locally designated wildlife/landscape site?	N/A	N/A	N/A
	Would development of the site have a detrimental impact on TPOs.	N/A	N/A	N/A
	Would development of the site have a detrimental impact on a Significant Gap?	N/A	N/A	N/A
	Would development of the site have a detrimental impact on ancient woodland?	N/A	N/A	N/A
	Would development of the site have a detrimental impact on ancient hedgerow?	N/A	N/A	N/A
	Has the site has been subject to a surface water flooding event? If yes, is there a viable engineering solution to overcome it?	N/A	N/A	N/A
	Would development of the site result in a loss of best or most versatile (Grade 1 or 2) agricultural land?	N/A	N/A	N/A
	Is the site on contaminated land? Is there contaminated land near to site, close enough to impact its potential development?	N/A	N/A	N/A
	Is there a bus stop or train station within 400m of the site? Please state distance.	N/A	N/A	N/A
	How far is the site from the following key services - primary school, general store, post office, doctors surgery and parish/village hall? Please list the distance in travelling metres for each key service.	N/A	N/A	N/A
	Would development of the site result in an adverse impact on local health provision?	N/A	N/A	N/A
	Would development of the site assist in delivering / supporting identified community infrastructure needs e.g. in Neighbourhood Plan.	N/A	N/A	N/A
	Would the development of the site, including the creation of an access, materially affect the character of the settlement?	N/A	N/A	N/A
OUTCOME	Ruled in or out of SHELAA? If out, reason?	IN (Level 2)	IN (Level 2)	OUT (Level 1)
	Should the site be carried forward for potential allocation in the SWDPR?	NO	NO	NO
	Summary	OUT Location	OUT Location	OUT Flood Risk Location